ELSEVIER

Journal of Organometallic Chemistry 551 (1998) 391–392

Journal of Organometallic Chemistry

Author Index of Volume 551

Abser, M.N., 271
Adams, C.J., 235
Adams, H., 355
Aikawa, M., 101
Aizenberg, M., 81
Aldea, R., 349
Alonso, M.A., 9
Alper, H., 349
Arai, T., 101
Arévalo, A., 55
Atwood, J.L., 261

Bailey, N.A., 355
Baker, L.-J., 247
Baldwin, R., 37
Barón, G., 55
Bassetti, M., 331
Bennett, M.A., 37
Berdini, V., 331
Bijpost, E.A., 159
Blake, P.C., 261
Braunstein, P., 125
Bruce, D.W., 271
Bruce, M.I., 235
Bruneau, C., 151

Cadenas, L.M., 293
Carmona, D., 55
Casado, A.L., 9
Castellanos-Páez, A., 375
Castillón, S., 375
Císařová, I., 207
Clark, G.R., 247
Claver, C., 375
Cole-Hamilton, D.J., 229
Cunningham, D., 139

Danilov, P.V., 171
De Blasio, N., 229
Delgado, A., 107
Depree, G.J., 281
Derrien, N., 151
Devery, M.P., 195
Dickson, R.S., 195
Dixneuf, P.H., 151
Donkervoort, J.G., 1
Doucet, H., 151

Edelman, M.A., 261
Elsevier, C.J., 81
Eremenko, I.L., 171
Espinet, P., 9

Elsevier Science S.A.

Esteban, M., 55
Esteruelas, M.A., 49

Fallon, G.D., 195

Galsworthy, J.R., 125
García, J.J., 55
Gomes, P.T., 133
González, I., 49
Green, J.C., 313
Green, M.L.H., 133
Groen, J.H., 67
Gusev, O.V., 93
Gutiérrez, E., 215
Gyepes, R., 207

Hara, M., 101
Haynes, A., 339
Hempstead, P.D., 355
Hendan, B.J., 125
Herrero, J., 49
Hitchcock, P.B., 261
Horáček, M., 207
Hörlin, G., 367
Hosokawa, T., 387
Hu, J., 261
Hudson, S.A., 215

Ievlev, M.A., 93
Isobe, K., 117

Jastrzebski, J.T.B.H., 1
Jeffery, J.C., 27
Jelliss, P.A., 27

Kabouche, Z., 151
Katser, S.B., 171
Kawaguchi, S., 117
Kawamura, M., 101
Keim, W., 165
Kooijman, H., 67
Kusuyama, Y., 117

Lahoz, F.J., 55
Lappert, M.F., 261
Liao, Y.-H., 27
Liu, X.-H., 271
Llebaria, A., 107
López, J.A., 55

Mach, K., 207
Mahr, N., 367

Main, L., 281
Mancini, G., 331
Mandolini, L., 331
Mann, B.E., 21
Manning, A.R., 139
Marsmann, H.C., 125
Martínez-Ilarduya, J.M., 9
Martins, A.M., 133
Maruya, K.-i., 101
Mazzocchia, C., 229
McArdle, P.A., 139
McNish, J., 339
McPartlin, C.M., 313
Meessen, P., 165
Meetsma, A., 159
Mehl, G.H., 299
Milner, D.J., 355
Milstein, D., 81
Mingos, D.M.P., 313
Moiseev, I.I., 171
Monge, A., 215
Monti, D., 331
Moretó, J.M., 107
Müller, G., 261
Müller, T.E., 313
Murahashi, S.-I., 387

Nakamura, Y., 117
Nefedov, S.E., 171
Nicasio, M.C., 215
Nicholson, B.K., 281
Nomura, T., 387

O'Dwyer, L., 139
Okeya, S., 117
Oprunenko, Y.F., 93
Orlova, S.T., 171
Oro, L.A., 49, 55
Ott, J., 81

Pagès, L., 107
Paneque, M., 215
Pearson, J.M., 339
Peganova, T.A., 93
Pérez-Briso, C., 9
Pertici, P., 37
Peterleitner, M.G., 93
Petrovskii, P.V., 93
Ponina, M.O., 171
Puddephatt, R.J., 383

Ramsden, J.A., 355
Rickard, C.E.F., 247
Roper, W.R., 247
Royo, B., 293
Royo, P., 293
Ruiz, C., 215

Saez, I.M., 299
Sidorov, A.A., 171
Sinn, E., 299
Skelton, B.W., 195, 235
Smeets, W.J.J., 1
Spek, A.L., 1, 67
Spivak, G.J., 383
Stolarov, I.P., 171
Stone, F.G.A., 27
Stromnova, T.A., 171
Styring, P., 299
Sun, G.A., 21

Tempesti, E., 229
Teuben, J.H., 159
Thayaparan, J., 375
Tian, S., 261
Torrens, H., 55

Ustynyuk, N.A., 93
Ustynyuk, Yu.A., 171

Van Koten, G., 1
Van Leeuwen, P.W.N.M., 67
Vargaftik, M.N., 171
Verrazzani, A., 37
Vicario, J.L., 1
Vilaseca, F., 107
Villar, J.M., 107
Vitulli, G., 37

Vlaar, M.J.M., 67
Vogt, D., 165
Vrieze, K., 67

Werner, H., 367
White, A.H., 195, 235
White, C., 355
Whittingham, C., 313
Williams, D.J., 313
Witte, P.T., 207
Woodgate, S.D., 247
Woodroffe, T.M., 313
Wright, L.J., 247
Wright, M.R., 229

Zhang, H., 261
Zuideveld, M.A., 159

ELSEVIER

Journal of Organometallic Chemistry 551 (1998) 393–397

Journal of Organometallic Chemistry

Subject Index of Volume 551

Acetylacetonate trianion
Dinuclear platinum(II) complex bridged by an acetylacetonate(3 −) anion (S. Okeya, Y. Kusuyama, K. Isobe, Y. Nakamura and S. Kawaguchi), 117
Acetylenic ester
Preference for β-H elimination in the termination of the Ni-promoted carbonylative cycloaddition of 2-haloethylidene-cycloalkanes and alkynes (F. Vilaseca, L. Pagès, J.M. Villar, A. Llebaria, A. Delgado and J.M. Moretó), 107
α-diimine ligand
Insertion reactions into palladium–carbon bonds of complexes containing new rigid bidentate nitrogen ligands (J.H. Groen, M.J.M. Vlaar, P.W.N.M. Van Leeuwen, K. Vrieze, H. Kooijman and A.L. Spek), 67
Alkanethiol
The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond; the reactions with dialkylsulfanes and alkanethiols (M.P. Devery, R.S. Dickson, G.D. Fallon, B.W. Skelton and A.H. White), 195
Alkene
Palladium–copper–DMF complexes involved in the oxidation of alkenes (T. Hosokawa, T. Nomura and S.-I. Murahashi), 387
Alkyne complexes
Coordination, fluxionality and fragmentation in reactions of platinum cluster complexes with alkynes (G.J. Spivak and R.J. Puddephatt), 383
Alkyne cyclotrimerization
Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to Ru(η^6-arene)(η^4-cycloocta-1,5-diene) complexes (P. Pertici, A. Verrazzani, G. Vitulli, R. Baldwin and M.A. Bennett), 37
Amidosilyl
Dichloro(methyl)silyl-substituted cyclopentadienyl titanium complexes (B. Royo, P. Royo and L.M. Cadenas), 293
Anion
Organometallic derivatives of Ni(II) with poly(pyrazolyl)borate ligands (E. Gutiérrez, S.A. Hudson, A. Monge, M.C. Nicasio, M. Paneque and C. Ruiz), 215
Arene
Synthesis and reduction of trifluoromethyl-substituted arenecyclopentadienylruthenium sandwiches $[Ru(\eta^5\text{-}C_5Me_4CF_3)(\eta^6\text{-}C_6R_6)]^+$ (R = H, Me) and $[Ru(\eta^5\text{-}C_5Me_5)(\eta^6\text{-}C_6H_5CF_3)]^+$ (O.V. Gusev, M.A. Ievlev, T.A. Peganova, M.G. Peterleitner, P.V. Petrovskii, Y.F. Oprunenko and N.A. Ustynyuk), 93
Arene complexes
Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to Ru(η^6-arene)(η^4-cycloocta-1,5-diene) complexes (P. Pertici, A. Verrazzani, G. Vitulli, R. Baldwin and M.A. Bennett), 37
Aryl azides
Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides (H. Werner, G. Hörlin and N. Mahr), 367
Aryl derivatives
Organometallic derivatives of Ni(II) with poly(pyrazolyl)borate ligands (E. Gutiérrez, S.A. Hudson, A. Monge, M.C. Nicasio, M. Paneque and C. Ruiz), 215
Arylplatinum(II)
Synthesis of arylplatinum(II) complexes with chiral monoanionic aryldiamine ligands. The X-ray crystal structure of (−)-[(1*R*,1′*R*)-2,6-bis[1-(dimethylamino)propyl]- phenyl]chloroplatinum(II) (J.G. Donkervoort, J.L. Vicario, J.T.B.H. Jastrzebski, W.J.J. Smeets, A.L. Spek and G. Van Koten), 1
Bidentate
Insertion reactions into palladium–carbon bonds of complexes containing new rigid bidentate nitrogen ligands (J.H. Groen, M.J.M. Vlaar, P.W.N.M. Van Leeuwen, K. Vrieze, H. Kooijman and A.L. Spek), 67
Binuclear complexes
Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands (J.J. García, G. Barón, A. Arévalo, H. Torrens, D. Carmona, M. Esteban, F.J. Lahoz, J.A. López and L.A. Oro), 55
Bpy ligands
Crystal structures of titanocene 2,2′-bipyridyl complexes. Singlet versus triplet state-dependence on methyl substituents at the cyclopentadienyl ligands (R. Gyepes, P.T. Witte, M. Horáček, I. Císařová and K. Mach), 207
Carbodiimide metal complexes
Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides (H. Werner, G. Hörlin and N. Mahr), 367
Carbon monoxide
Metal ion complexation in organometallic crown ethers. Structural and rate effects on the migratory insertion of carbon monoxide in indenyl and cyclopentadienyl iron (II) complexes (V. Berdini, M. Bassetti, G. Mancini, L. Mandolini and D. Monti), 331
Carbonyl
Carborane complexes of ruthenium: studies on the chemistry of the $Ru(CO)_2(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)$ fragment and the X-ray crystal structure of $[NEt_4][Ru_2(\mu\text{-}Tl)(CO)_4(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)_2]$ (J.C. Jeffery, P.A. Jelliss, Y.-H. Liao and F.G.A. Stone), 27
Carbonylation
Cis–trans isomerism in $[M(CO)_2I_4]^-$ (M = Rh, Ir): Kinetic, mechanistic and spectroscopic studies (A. Haynes, J. McNish and J.M. Pearson), 339
Carboxylic acid
Powerful control by organoruthenium catalysts of the regioselective addition to C(1) or C(2) of the prop-2-ynyl ethers C≡C triple bond (H. Doucet, N. Derrien, Z. Kabouche, C. Bruneau and P.H. Dixneuf), 151
Catalysis
Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product

Elsevier Science S.A.

$[(\eta^5\text{-}C_5Me_4)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159

Chalcogenides
The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond; the reactions with dialkylsulfanes and alkanethiols (M.P. Devery, R.S. Dickson, G.D. Fallon, B.W. Skelton and A.H. White), 195

Chiral annulated cyclopentadienyl
Chiral annulated cyclopentadienyl ligands: Synthesis and crystal structure of both *exo* and *endo* Rh{η^5-Cp′)(cod)} [Cp′ = (4*S*,7*R*)-1,2,3-triphenyl-4,8,8-trimethyl-1*H*,4,5,6,7-tetrahydro-4,7-methanoindenyl] (J.A. Ramsden, D.J. Milner, H. Adams, N.A. Bailey, P.D. Hempstead and C. White), 355

Chiral monoanionic aryldiamine ligands
Synthesis of arylplatinum(II) complexes with chiral monoanionic aryldiamine ligands. The X-ray crystal structure of (−)-[(1*R*,1′*R*)-2,6-bis{1-(dimethylamino)propyl}- phenyl]chloroplatinum(II) (J.G. Donkervoort, J.L. Vicario, J.T.B.H. Jastrzebski, W.J.J. Smeets, A.L. Spek and G. Van Koten), 1

Chiral thiolate
Reactivity of tetracarbonyl dithiolate-bridged rhodium(I) complexes with diphosphines (A. Castellanos-Páez, J. Thayaparan, S. Castillón and C. Claver), 375

$[(\eta^5\text{-}C_7H_9)RuCl(H)(PPh_3)_2]$
The reaction between $[(\eta^5\text{-}C_7H_9)RuCl(H)(PPh_3)_2]$ and dihydrogen (B.E. Mann and G.A. Sun), 21

Clay
Ruthenium clay catalyzed chemoselective hydrogenation of unsaturated esters, epoxides, sulfones and phosphonates (R. Aldea and H. Alper), 349

Clusters
Imido/nitrene ligands in the complexes of platinum metals (I.L. Eremenko, S.E. Nefedov, A.A. Sidorov, M.O. Ponina, P.V. Danilov, T.A. Stromnova, I.P. Stolarov, S.B. Katser, S.T. Orlova, M.N. Vargaftik, I.I. Moiseev and Yu.A. Ustynyuk), 171

CO hydrogenation
Reaction path of methoxy species to isobutene and its dependence on oxide catalysts in CO hydrogenation (K.-i. Maruya, M. Kawamura, M. Aikawa, M. Hara and T. Arai), 101

Comlexes
Rh(I) and Rh(III) silyl PMe_3 complexes. Syntheses, reactions and ^{103}Rh NMR spectroscopy (M. Aizenberg, J. Ott, C.J. Elsevier and D. Milstein), 81

Copper chloride
Palladium–copper–DMF complexes involved in the oxidation of alkenes (T. Hosokawa, T. Nomura and S.-I. Murahashi), 387

Crown ether
Metal ion complexation in organometallic crown ethers. Structural and rate effects on the migratory insertion of carbon monoxide in indenyl and cyclopentadienyl iron (II) complexes (V. Berdini, M. Bassetti, G. Mancini, L. Mandolini and D. Monti), 331

Cyclic voltammetry
Synthesis and reduction of trifluoromethyl-substituted arenecyclopentadienylruthenium sandwiches $[Ru(\eta^5\text{-}C_5Me_4CF_3)(\eta^6\text{-}C_6R_6)]^+$ (R = H, Me) and $[Ru(\eta^5\text{-}C_5Me_5)(\eta^6\text{-}C_6H_5CF_3)]^+$ (O.V. Gusev, M.A. Ievlev, T.A. Peganova, M.G. Peterleitner, P.V. Petrovskii, Y.F. Oprunenko and N.A. Ustynyuk), 93

Cyclomanganated triphenylphosphine chalcogenides
Some insertion reactions of the Mn–C bond of cyclomanganated triphenylphosphine chalcogenides (G.J. Depree, L. Main and B.K. Nicholson), 281

1,5-cyclooctadiene complexes
Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to Ru(η^6-arene)(η^4-cycloocta-1,5-diene) complexes (P. Pertici, A. Verrazzani, G. Vitulli, R. Baldwin and M.A. Bennett), 37

Cyclopentadienyl
Synthesis and reduction of trifluoromethyl-substituted arenecyclopentadienylruthenium sandwiches $[Ru(\eta^5\text{-}C_5Me_4CF_3)(\eta^6\text{-}C_6R_6)]^+$ (R = H, Me) and $[Ru(\eta^5\text{-}C_5Me_5)(\eta^6\text{-}C_6H_5CF_3)]^+$ (O.V. Gusev, M.A. Ievlev, T.A. Peganova, M.G. Peterleitner, P.V. Petrovskii, Y.F. Oprunenko and N.A. Ustynyuk), 93

Cyclopentadienyl ligands
Crystal structures of titanocene 2,2′-bipyridyl complexes. Singlet versus triplet state-dependence on methyl substituents at the cyclopentadienyl ligands (R. Gyepes, P.T. Witte, M. Horáček, I. Císařová and K. Mach), 207

Dialkylsulfane
The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond; the reactions with dialkylsulfanes and alkanethiols (M.P. Devery, R.S. Dickson, G.D. Fallon, B.W. Skelton and A.H. White), 195

Dicarbon ligand
Construction of unusual cluster geometries about a dicarbon ligand: reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with iron or ruthenium carbonyls (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 235

[Dichloro(methyl)silyl]cyclopentadienyl
Dichloro(methyl)silyl-substituted cyclopentadienyl titanium complexes (B. Royo, P. Royo and L.M. Cadenas), 293

3,5-dichlorotrifluorophenyl complexes
3,5-dichlorotrifluorophenyl complexes, aryl derivatives with simple ^{19}F NMR structural probes. The synthesis of general precursors for Pd- and Pt complexes (P. Espinet, J.M. Martínez-Ilarduya, C. Pérez-Briso, A.L. Casado and M.A. Alonso), 9

Dihydrogen
The reaction between $[(\eta^5\text{-}C_7H_9)RuCl(H)(PPh_3)_2]$ and dihydrogen (B.E. Mann and G.A. Sun), 21

Dinuclear platinum(II)
Dinuclear platinum(II) complex bridged by an acetylacetonate(3 −) anion (S. Okeya, Y. Kusuyama, K. Isobe, Y. Nakamura and S. Kawaguchi), 117

Diphosphine
Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165

Diphosphines
Reactivity of tetracarbonyl dithiolate-bridged rhodium(I) complexes with diphosphines (A. Castellanos-Páez, J. Thayaparan, S. Castillón and C. Claver), 375

DMF
Palladium–copper–DMF complexes involved in the oxidation of alkenes (T. Hosokawa, T. Nomura and S.-I. Murahashi), 387

Fluxionality
Coordination, fluxionality and fragmentation in reactions of platinum cluster complexes with alkynes (G.J. Spivak and R.J. Puddephatt), 383

^{19}F NMR spectra
3,5-dichlorotrifluorophenyl complexes, aryl derivatives with simple ^{19}F NMR structural probes. The synthesis of general precursors for Pd- and Pt complexes (P. Espinet, J.M. Martínez-Ilarduya, C. Pérez-Briso, A.L. Casado and M.A. Alonso), 9

Fused camphor derivatives
Chiral annulated cyclopentadienyl ligands: Synthesis and crystal structure of both *exo* and *endo* Rh{η^5-Cp′)(cod)} [Cp′ = (4*S*,7*R*)-1,2,3-triphenyl-4,8,8-trimethyl-1*H*,4,5,6,7-tetrahydro-4,7-methanoindenyl] (J.A. Ramsden, D.J. Milner, H. Adams, N.A. Bailey, P.D. Hempstead and C. White), 355

Gold
Complexes of gold(I) and platinum(II) with polyaromatic phosphine ligands (T.E. Müller, J.C. Green, D.M.P. Mingos, C.M. McPartlin, C. Whittingham, D.J. Williams and T.M. Woodroffe), 313
2-haloethylidene-cycloalkanes
Preference for β-H elimination in the termination of the Ni-promoted carbonylative cycloaddition of 2-haloethylidene-cycloalkanes and alkynes (F. Vilaseca, L. Pagès, J.M. Villar, A. Llebaria, A. Delgado and J.M. Moretó), 107
β-H elimination
Preference for β-H elimination in the termination of the Ni-promoted carbonylative cycloaddition of 2-haloethylidene-cycloalkanes and alkynes (F. Vilaseca, L. Pagès, J.M. Villar, A. Llebaria, A. Delgado and J.M. Moretó), 107
Heterocumulenes
The cleavage of coordinated heterocumulenes. The reactions of $[Fe(CO)_2(PPh_3)_2(\eta\text{-SCY})]$ and their analogues with $[Co(\eta\text{-}C_5H_5)(PPh_3)_2]$ to give heteronuclear $[\{Co(\eta\text{-}C_5H_5)\}_2\text{-}\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-S})(\mu_3\text{-CY})]$ (Y = S or SR^+) and related clusters (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 139
Heteronuclear
The cleavage of coordinated heterocumulenes. The reactions of $[Fe(CO)_2(PPh_3)_2(\eta\text{-SCY})]$ and their analogues with $[Co(\eta\text{-}C_5H_5)(PPh_3)_2]$ to give heteronuclear $[\{Co(\eta\text{-}C_5H_5)\}_2\text{-}\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-S})(\mu_3\text{-CY})]$ (Y = S or SR^+) and related clusters (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 139
Hydroformylation
Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165
Hydrogenation
Ruthenium clay catalyzed chemoselective hydrogenation of unsaturated esters, epoxides, sulfones and phosphonates (R. Aldea and H. Alper), 349
Indenyl
Metal ion complexation in organometallic crown ethers. Structural and rate effects on the migratory insertion of carbon monoxide in indenyl and cyclopentadienyl iron (II) complexes (V. Berdini, M. Bassetti, G. Mancini, L. Mandolini and D. Monti), 331
Insertion reactions
Some insertion reactions of the Mn–C bond of cyclomanganated triphenylphosphine chalcogenides (G.J. Depree, L. Main and B.K. Nicholson), 281
Ionic complexes
Reactivity of tetracarbonyl dithiolate-bridged rhodium(I) complexes with diphosphines (A. Castellanos-Páez, J. Thayaparan, S. Castillón and C. Claver), 375
Iridium
Cis–trans isomerism in $[M(CO)_2I_4]^-$ (M = Rh, Ir): Kinetic, mechanistic and spectroscopic studies (A. Haynes, J. McNish and J.M. Pearson), 339
Isobutene
Reaction path of methoxy species to isobutene and its dependence on oxide catalysts in CO hydrogenation (K.-i. Maruya, M. Kawamura, M. Aikawa, M. Hara and T. Arai), 101
Isocyanide metal complexes
Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides (H. Werner, G. Hörlin and N. Mahr), 367
Isomerization
Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165
Kinetic analysis
The relative importance of heterogeneous and homogeneous methanol carbonylation using supported rhodium catalysts in the liquid phase (N. De Blasio, M.R. Wright, E. Tempesti, C. Mazzocchia and D.J. Cole-Hamilton), 229
Kinetics
Cis–trans isomerism in $[M(CO)_2I_4]^-$ (M = Rh, Ir): Kinetic, mechanistic and spectroscopic studies (A. Haynes, J. McNish and J.M. Pearson), 339
Ligand
The reaction between $[(\eta^5\text{-}C_7H_9)RuCl(H)(PPh_3)_2]$ and dihydrogen (B.E. Mann and G.A. Sun), 21
Ligands
Imido/nitrene ligands in the complexes of platinum metals (I.L. Eremenko, S.E. Nefedov, A.A. Sidorov, M.O. Ponina, P.V. Danilov, T.A. Stromnova, I.P. Stolarov, S.B. Katser, S.T. Orlova, M.N. Vargaftik, I.I. Moiseev and Yu.A. Ustynyuk), 171
Organometallic derivatives of Ni(II) with poly(pyrazolyl)borate ligands (E. Gutiérrez, S.A. Hudson, A. Monge, M.C. Nicasio, M. Paneque and C. Ruiz), 215
The cleavage of coordinated heterocumulenes. The reactions of $[Fe(CO)_2(PPh_3)_2(\eta\text{-SCY})]$ and their analogues with $[Co(\eta\text{-}C_5H_5)(PPh_3)_2]$ to give heteronuclear $[\{Co(\eta\text{-}C_5H_5)\}_2\text{-}\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-S})(\mu_3\text{-CY})]$ (Y = S or SR^+) and related clusters (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 139
Mechanism
Cis–trans isomerism in $[M(CO)_2I_4]^-$ (M = Rh, Ir): Kinetic, mechanistic and spectroscopic studies (A. Haynes, J. McNish and J.M. Pearson), 339
Metal cluster
Reactions of thiol-functionalized silsesquioxanes with metal carbonyl clusters: syntheses and characterization of $[Si_8O_{12}(Pr^n)_7\text{-}\{(\mu_2\text{-}SC_3H_6)M_3(\mu\text{-}H)(CO)_{10}\}]$ (M = Ru, Os; $Pr^n = C_3H_7$), $[Si_8O_{12}(Pr^n)_6\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_2]$ and $[Si_8O_{12}(C_3H_6SH)_x\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_{8-x}]$ ($x = 6$, 0) (P. Braunstein, J.R. Galsworthy, B.J. Hendan and H.C. Marsmann), 125
Metal complex
Dinuclear platinum(II) complex bridged by an acetylacetonate(3 −) anion (S. Okeya, Y. Kusuyama, K. Isobe, Y. Nakamura and S. Kawaguchi), 117
Metallacarborane
Carborane complexes of ruthenium: studies on the chemistry of the $Ru(CO)_2(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)$ fragment and the X-ray crystal structure of $[NEt_4][Ru_2(\mu\text{-}Tl)(CO)_4(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)_2]$ (J.C. Jeffery, P.A. Jelliss, Y.-H. Liao and F.G.A. Stone), 27
Metallacycles
Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides (H. Werner, G. Hörlin and N. Mahr), 367
Metallocene
Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159
Metallocyclic ring
Some insertion reactions of the Mn–C bond of cyclomanganated triphenylphosphine chalcogenides (G.J. Depree, L. Main and B.K. Nicholson), 281
Metallomesogens
Synthesis and characterisation of rod-like metallomesogens of Mn(I)

based on Schiff base ligands (X.-H. Liu, M.N. Abser and D.W. Bruce), 271
The effect of low molecular weight organosiloxane substituents on mesophase formation and structure in non-symmetric nickel(II) complexes (I.M. Saez, G.H. Mehl, E. Sinn and P. Styring), 299
Methanol
The relative importance of heterogeneous and homogeneous methanol carbonylation using supported rhodium catalysts in the liquid phase (N. De Blasio, M.R. Wright, E. Tempesti, C. Mazzocchia and D.J. Cole-Hamilton), 229
Methoxy species
Reaction path of methoxy species to isobutene and its dependence on oxide catalysts in CO hydrogenation (K.-i. Maruya, M. Kawamura, M. Aikawa, M. Hara and T. Arai), 101
Molecular oxygen
Palladium–copper–DMF complexes involved in the oxidation of alkenes (T. Hosokawa, T. Nomura and S.-I. Murahashi), 387
Molybdenum
Ansa-bridged η-cyclopentadienyl imido and amido derivatives of titanium, zirconium and molybdenum (P.T. Gomes, M.L.H. Green and A.M. Martins), 133
Nitrene
Imido/nitrene ligands in the complexes of platinum metals (I.L. Eremenko, S.E. Nefedov, A.A. Sidorov, M.O. Ponina, P.V. Danilov, T.A. Stromnova, I.P. Stolarov, S.B. Katser, S.T. Orlova, M.N. Vargaftik, I.I. Moiseev and Yu.A. Ustynyuk), 171
NMR spectroscopy
Rh(I) and Rh(III) silyl PMe_3 complexes. Syntheses, reactions and ^{103}Rh NMR spectroscopy (M. Aizenberg, J. Ott, C.J. Elsevier and D. Milstein), 81
Olefin
Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165
Olefins
Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159
Organoruthenium catalyst
Powerful control by organoruthenium catalysts of the regioselective addition to C(1) or C(2) of the prop-2-ynyl ethers C≡C triple bond (H. Doucet, N. Derrien, Z. Kabouche, C. Bruneau and P.H. Dixneuf), 151
Organosiloxanes
The effect of low molecular weight organosiloxane substituents on mesophase formation and structure in non-symmetric nickel(II) complexes (I.M. Saez, G.H. Mehl, E. Sinn and P. Styring), 299
Ortho-metallation
Carbodiimide metal complexes and four-membered metallacycles from isocyanide metal precursors and aryl azides (H. Werner, G. Hörlin and N. Mahr), 367
Oxide catalysts
Reaction path of methoxy species to isobutene and its dependence on oxide catalysts in CO hydrogenation (K.-i. Maruya, M. Kawamura, M. Aikawa, M. Hara and T. Arai), 101
Palladium
Insertion reactions into palladium–carbon bonds of complexes containing new rigid bidentate nitrogen ligands (J.H. Groen, M.J.M. Vlaar, P.W.N.M. Van Leeuwen, K. Vrieze, H. Kooijman and A.L. Spek), 67
Palladium–copper–DMF complexes involved in the oxidation of alkenes (T. Hosokawa, T. Nomura and S.-I. Murahashi), 387
Pd- and Pt complexes
3,5-dichlorotrifluorophenyl complexes, aryl derivatives with simple ^{19}F NMR structural probes. The synthesis of general precursors for Pd- and Pt complexes (P. Espinet, J.M. Martínez-Ilarduya, C. Pérez-Briso, A.L. Casado and M.A. Alonso), 9
Pentamethylcyclopentadienyl
Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands (J.J. García, G. Barón, A. Arévalo, H. Torrens, D. Carmona, M. Esteban, F.J. Lahoz, J.A. López and L.A. Oro), 55
Phosphine ligands
Complexes of gold(I) and platinum(II) with polyaromatic phosphine ligands (T.E. Müller, J.C. Green, D.M.P. Mingos, C.M. McPartlin, C. Whittingham, D.J. Williams and T.M. Woodroffe), 313
Platinum
Complexes of gold(I) and platinum(II) with polyaromatic phosphine ligands (T.E. Müller, J.C. Green, D.M.P. Mingos, C.M. McPartlin, C. Whittingham, D.J. Williams and T.M. Woodroffe), 313
Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165
Platinum cluster
Coordination, fluxionality and fragmentation in reactions of platinum cluster complexes with alkynes (G.J. Spivak and R.J. Puddephatt), 383
Polymerisation
Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159
Pyrazolato
Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands (J.J. García, G. Barón, A. Arévalo, H. Torrens, D. Carmona, M. Esteban, F.J. Lahoz, J.A. López and L.A. Oro), 55
Pyridines
Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to Ru(η^6-arene)(η^4-cycloocta-1,5-diene) complexes (P. Pertici, A. Verrazzani, G. Vitulli, R. Baldwin and M.A. Bennett), 37
Rhodium
Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands (J.J. García, G. Barón, A. Arévalo, H. Torrens, D. Carmona, M. Esteban, F.J. Lahoz, J.A. López and L.A. Oro), 55
Cis–trans isomerism in $[M(CO)_2I_4]^-$ (M = Rh, Ir): Kinetic, mechanistic and spectroscopic studies (A. Haynes, J. McNish and J.M. Pearson), 339
The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond: the reactions with dialkylsulfanes and alkanethiols (M.P. Devery, R.S. Dickson, G.D. Fallon, B.W. Skelton and A.H. White), 195
Rhodium catalyst
The relative importance of heterogeneous and homogeneous methanol carbonylation using supported rhodium catalysts in the liquid phase (N. De Blasio, M.R. Wright, E. Tempesti, C. Mazzocchia and D.J. Cole-Hamilton), 229
Rhodium complexes
Chiral annulated cyclopentadienyl ligands: Synthesis and crystal structure of both *exo* and *endo* Rh{η^5-Cp′}(cod)} [Cp′ = (4*S*,7*R*)-1,2,3-triphenyl-4,8,8-trimethyl-1*H*,4,5,6,7-tetrahydro-4,7-methanoindenyl] (J.A. Ramsden, D.J. Milner, H. Adams, N.A. Bailey, P.D. Hempstead and C. White), 355

Reactivity of tetracarbonyl dithiolate-bridged rhodium(I) complexes with diphosphines (A. Castellanos-Páez, J. Thayaparan, S. Castillón and C. Claver), 375

Ruthenium

Carborane complexes of ruthenium: studies on the chemistry of the $Ru(CO)_2(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)$ fragment and the X-ray crystal structure of $[NEt_4][Ru_2(\mu\text{-}Tl)(CO)_4(\eta^5\text{-}7,8\text{-}Me_2\text{-}7,8\text{-}C_2B_9H_9)_2]$ (J.C. Jeffery, P.A. Jelliss, Y.-H. Liao and F.G.A. Stone), 27

Ruthenium clay catalyzed chemoselective hydrogenation of unsaturated esters, epoxides, sulfones and phosphonates (R. Aldea and H. Alper), 349

Stoichiometric alkyne cyclotrimerization at a ruthenium centre: A new synthetic route to $Ru(\eta^6\text{-arene})(\eta^4\text{-cyclooctа-1,5-diene})$ complexes (P. Pertici, A. Verrazzani, G. Vitulli, R. Baldwin and M.A. Bennett), 37

Synthesis and reduction of trifluoromethyl-substituted arenecyclopentadienylruthenium sandwiches $[Ru(\eta^5\text{-}C_5Me_4CF_3)(\eta^6\text{-}C_6R_6)]^+$ (R = H, Me) and $[Ru(\eta^5\text{-}C_5Me_5)(\eta^6\text{-}C_6H_5CF_3)]^+$ (O.V. Gusev, M.A. Ievlev, T.A. Peganova, M.G. Peterleitner, P.V. Petrovskii, Y.F. Oprunenko and N.A. Ustynyuk), 93

Ruthenium carbonyl

Construction of unusual cluster geometries about a dicarbon ligand: reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with iron or ruthenium carbonyls (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 235

Schiff base ligands

Synthesis and characterisation of rod-like metallomesogens of Mn(I) based on Schiff base ligands (X.-H. Liu, M.N. Abser and D.W. Bruce), 271

Self-assembly

The effect of low molecular weight organosiloxane substituents on mesophase formation and structure in non-symmetric nickel(II) complexes (I.M. Saez, G.H. Mehl, E. Sinn and P. Styring), 299

Silsesquioxanes

Reactions of thiol-functionalized silsesquioxanes with metal carbonyl clusters: syntheses and characterization of $[Si_8O_{12}(Pr^n)_7\{(\mu_2\text{-}SC_3H_6)M_3(\mu\text{-}H)(CO)_{10}\}]$ (M = Ru, Os; $Pr^n = C_3H_7$), $[Si_8O_{12}(Pr^n)_6\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_2]$ and $[Si_8O_{12}(C_3H_6SH)_x\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_{8-x}]$ ($x = 6$, 0) (P. Braunstein, J.R. Galsworthy, B.J. Hendan and H.C. Marsmann), 125

Silyls

Rh(I) and Rh(III) silyl PMe_3 complexes. Syntheses, reactions and ^{103}Rh NMR spectroscopy (M. Aizenberg, J. Ott, C.J. Elsevier and D. Milstein), 81

Stevens rearrangement

The coordination and rearrangement of some organic chalcogenides on a rhodium–rhodium bond; the reactions with dialkylsulfanes and alkanethiols (M.P. Devery, R.S. Dickson, G.D. Fallon, B.W. Skelton and A.H. White), 195

Synthesis

Synthesis and characterisation of rod-like metallomesogens of Mn(I) based on Schiff base ligands (X.-H. Liu, M.N. Abser and D.W. Bruce), 271

Thermo-optic properties

The effect of low molecular weight organosiloxane substituents on mesophase formation and structure in non-symmetric nickel(II) complexes (I.M. Saez, G.H. Mehl, E. Sinn and P. Styring), 299

Thiolato

Binuclear pentamethylcyclopentadienyl rhodium(III) compounds with pyrazolate and thiolate bridging ligands (J.J. García, G. Barón, A. Arévalo, H. Torrens, D. Carmona, M. Esteban, F.J. Lahoz, J.A. López and L.A. Oro), 55

Thiol functionalities

Reactions of thiol-functionalized silsesquioxanes with metal carbonyl clusters: syntheses and characterization of $[Si_8O_{12}(Pr^n)_7\{(\mu_2\text{-}SC_3H_6)M_3(\mu\text{-}H)(CO)_{10}\}]$ (M = Ru, Os; $Pr^n = C_3H_7$), $[Si_8O_{12}(Pr^n)_6\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_2]$ and $[Si_8O_{12}(C_3H_6SH)_x\{(\mu_2\text{-}SC_3H_6)Ru_3(\mu\text{-}H)(CO)_{10}\}_{8-x}]$ ($x = 6$, 0) (P. Braunstein, J.R. Galsworthy, B.J. Hendan and H.C. Marsmann), 125

Tin

Highly regioselective hydroformylation of internal, functionalized olefins applying Pt/Sn complexes with large bite angle diphosphines (P. Meessen, D. Vogt and W. Keim), 165

Titanium

Ansa-bridged η-cyclopentadienyl imido and amido derivatives of titanium, zirconium and molybdenum (P.T. Gomes, M.L.H. Green and A.M. Martins), 133

Dichloro(methyl)silyl-substituted cyclopentadienyl titanium complexes (B. Royo, P. Royo and L.M. Cadenas), 293

Titanocene

Crystal structures of titanocene 2,2′-bipyridyl complexes. Singlet versus triplet state-dependence on methyl substituents at the cyclopentadienyl ligands (R. Gyepes, P.T. Witte, M. Horáček, I. Císařová and K. Mach), 207

Trigonal prism

Construction of unusual cluster geometries about a dicarbon ligand: reactions of $Ru_5(\mu_5\text{-}C_2)(\mu\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_{11}$ with iron or ruthenium carbonyls (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 235

Triple bond

Powerful control by organoruthenium catalysts of the regioselective addition to C(1) or C(2) of the prop-2-ynyl ethers C≡C triple bond (H. Doucet, N. Derrien, Z. Kabouche, C. Bruneau and P.H. Dixneuf), 151

X-ray structure

Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159

Zirconium

Ansa-bridged η-cyclopentadienyl imido and amido derivatives of titanium, zirconium and molybdenum (P.T. Gomes, M.L.H. Green and A.M. Martins), 133

Reaction of ether and thioether functionalised 1-Alkenes with the cationic permethylzirconocene olefin polymerisation catalyst $[(\eta^5\text{-}C_5Me_5)_2ZrMe]^+$. Molecular structure of the insertion product $[(\eta^5\text{-}C_5Me_5)_2ZrCH_2CH(Me)CH_2OEt]^+$ (E.A. Bijpost, M.A. Zuideveld, A. Meetsma and J.H. Teuben), 159